

**MINUTES OF GRIEVANCE COMMITTEE MEETING
FAISALABAD INSTITUTE OF CARDIOLOGY, FAISALABAD**

A meeting of Grievance Committee for product of Drug/Medicine & Sutures Items F. Y. 2021-22 was held on 15.09.2021 at 10:00AM in the Office of the Medical Superintendent, Faisalabad Institute of Cardiology, Faisalabad.

DRUG/MEDICINE AND SUTURES

1. M/s Sanofi Aventis

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
75	INJ ENOXAPRIN SODIUM 60MG/0.6ML	Clexane 60mg	Sanofi Winthrop Industries France	Invalid drug registration certificate attached	Renewal for DRG Attached 16.08.2021	Accepted
149	TAB FRUSEMIDE 40MG	Lasix 40mg	Sanofi Aventis Deutschland GmbH, Germany	Invalid drug registration certificate attached	Renewal for DRG Attached 26.03.2021	Accepted
150	TAB FRUSEMIDE 40MG + AMILORIDE 5MG- 40/5MG	Lasoride	Sanofi Aventis Deutschland GmbH, Germany	Invalid drug registration certificate attached	Renewal for DRG Attached 28.06.2021	Accepted
152	TAB GLIBANCLAMIDE-5MG	Daonil 5mg	Sanofi Aventis , Pakistan	Invalid drug registration certificate attached	Renewal for DRG Attached 17.03.2021	Accepted

2. M/s Ali Medical Store

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
23	DISPOSABLE SYRINGE 10CC WITH NEEDLE	UCI	Jiangxi Saxin Medical Co.LTD, China	1. Not suitable in Angiography procedure 2. Medical device registration not attached 3. Invalid Drug registration certificate attached	Not suitable in Angiography procedure	Rejected

24	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	UCI	Jiangxi Saxin Medical Co.LTD, China	1. Medical device registration not attached 2. Invalid Drug registration certificate attached	Medical device registration attached 27.08.2021	Accepted
25	DISPOSABLE SYRINGE 50CC WITH NEEDLE	UCI	Jiangxi Saxin Medical Co.LTD, China	1. Medical device registration not attached 2. Invalid Drug registration certificate attached	Medical device registration attached 27.08.2021	Accepted
119	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Hospital & Homecare	ANHUI Triankang Medical China	1. Medical device registration not attached 2. Invalid Drug registration certificate attached	1. Medical device registration not attached 2. Invalid Drug registration certificate attached	Rejected
190	SURGICAL STEEL WIRES NO. 4	BT Stainless Steel Wire	Ophth Pharma Pvt Ltd. Pakistan	Poor quality needle as well as thread, drag of needle in the tissues	Poor quality needle as well as thread, drag of needle in the tissues	Rejected
191	SURGICAL STEEL WIRE NO. 5	BT Stainless Steel Wire	Ophth Pharma Pvt Ltd. Pakistan	Poor quality needle as well as thread, drag of needle in the tissues	Poor quality needle as well as thread, drag of needle in the tissues	Rejected

3. M/s Tanveer Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
33	INFUSION LEVOFLOXCIN 500MG/100ML WITH HANGER IN UNIT CARTON	Sterilevo	FDL, Pakistan	Invalid drug registration certificate attached	Renewal for DRC Attached 18.09.2020	Accepted
35	INFUSION METRONIDAZOLE - 500MG/100ML WITH HANGER IN UNIT CARTON	Sterimet	FDL, Pakistan	Invalid drug registration certificate attached	Renewal for DRC Attached 18.09.2020	Accepted






51	INJ AMIODARON HYDROCHLORIDE 150MG/3ML	Bajdrone 3ml	Bajwa, Pakistan	Drug Sale License of M/s BAJWA pharmaceuticals not attached	End user reservation	Rejected
52	INJ ATRACURIUM BESYLATE 10MG/ML	Relocurium 3ml	Bajwa, Pakistan	1. Drug Sale License of M/s BAJWA pharmaceuticals not attached 2. No experience with this institute	No experience with this institute	Rejected
71	INJ DIMENHYDRINATE 50MG/ML	Menhydrin 1ml	Bajwa, Pakistan	Drug Sale License of M/s BAJWA pharmaceuticals not attached	Relevant documents provided	Accepted
74	INJ DOPAMINE (AS HCL) 200MG/5ML	Bopamin 5ml	Bajwa, Pakistan	1. Drug Sale License of M/s BAJWA pharmaceuticals not attached 2. Punjab Teaching Govt. Institutes experience not attached 3. No experience with this institute	Punjab Teaching Govt. Institutes experience not provided No experience with this institute	Rejected
76	INJ FRUSEMIDE 20MG/2ML	Frusemide 2ml	Bajwa, Pakistan	Drug Sale License of M/s BAJWA pharmaceuticals not attached	Relevant documents provided	Accepted
87	INJ LIGNOCAIN 2% W/V 10ML WITHOUT ADRENALINE	Baligno 10ml	Bajwa, Pakistan	Drug Sale License of M/s BAJWA pharmaceuticals not attached	Relevant documents provided	Accepted
91	INJ METOCLOPRAMIDE 10MG/2ML	Clopramid 2ml	Bajwa, Pakistan	1. Drug Sale License of M/s BAJWA pharmaceuticals not attached 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not provided	Rejected









4. M/s Tahir Pharmacy

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
10	CANNULA / BRANULA I.V. NO. 18G SAFETY WITH INJ PORT OR EQUIVALENT	Medeco	ABU DHABI Medical Devices Co. Ltd U.A.E	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Punjab Teaching Govt. Institutes experience provided 2. No experience with this institute	Rejected
11	CANNULA / BRANULA I.V. NO. 20G SAFETY WITH INJ PORT OR EQUIVALENT	Medeco	ABU DHABI Medical Devices Co. Ltd U.A.E	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Punjab Teaching Govt. Institutes experience attached 2. No experience with this institute	Rejected
12	CANNULA / BRANULA I.V. NO. 22G SAFETY WITH INJ PORT OR EQUIVALENT	Medeco	ABU DHABI Medical Devices Co. Ltd U.A.E	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Punjab Teaching Govt. Institutes experience attached 2. No experience with this institute	Rejected
13	CANNULA / BRANULA I.V. NO. 24G SAFETY WITH INJ PORT OR EQUIVALENT	Medeco	ABU DHABI Medical Devices Co. Ltd U.A.E	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Punjab Teaching Govt. Institutes experience attached 2. No experience with this institute	Rejected
61	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Tuff	Bio-Labs PVT LTD, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Govt. Institutes experience attached 2. No experience with this institute	Rejected

115	INJ VANCOMYCIN (AS HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)	Myvan	Bio-Labs PVT LTD, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Insufficient Punjab Teaching Govt. Institutes experience provided 2. No experience with this institute	Rejected
119	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Cure	Yangzhou Goldenwell Medical Devices factory, China	Poor Quality	End User Reservation	Rejected
169	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
170	BLACK SILK 2/0 30MM 3/8C REVERSE/CURVED CUTTING 75CM	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
171	BLACK SILK NO.2 37MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
172	BLACK SILK SIZE 3/0 WITH 24/26MM ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
173	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
174	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected





175	POLY PROPYLENE 4/0-16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
176	POLYPROPYLENE 5/0 16/17MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
177	POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
178	POLYPROPYLENE 6-0 10 /11 MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
179	POLYPROPYLENE 6-0, 8-11 MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
180	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
181	POLYPROPYLENE 7-0, 8 /9.3MM 1/2C DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
182	POLY PROPYLENE 8/0 -6.5 MM (DOUBLE ENDED ROUND BODY NEEDLE)	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected

[Handwritten signatures and initials]


186	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
187	POLYGLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
188	POLYGLACTIN NO 2/0 26MM 1/2C 70CM	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected
189	POLYGLACTIN 3/0, 16MM/19MM, 3/8C CUTTING NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd Shandong, China	1. Invalid drug registration certificate attached 2. Medical device registration not attached	MDR not provided	Rejected

5. M/s Anwar & Sons

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
170	BLACK SILK 2/0 30MM 3/8C REVERSE/CURVED CUTTING 75CM	Black Braided Silk 2/0 30mm, 1/2 circle round bodied taper point needle, 75cm length	SMI, Belgium	1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies	Medical device registration not attached Poor Performance regarding late supplies	Rejected
171	BLACK SILK NO.2 37MM 1/2C ROUND BODY NEEDLE	Black Braided Silk 2/0 37mm, 1/2 circle round bodied taper point needle, 75cm length	SMI, Belgium	1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies	Medical device registration not attached Poor Performance regarding late supplies	Rejected

172	BLACK SILK SIZE 3/0 WITH 24/26MM ROUND BODY NEEDLE	Black Braided Silk 3/0 26mm, 1/2 circle round bodied taper point needle, 75cm length	SML, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
174	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Polypropylene 3/0 25mm, 1/2 circle round bodied taper point needle, 90cm length	SML, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
175	POLY PROPYLENE 4/0-16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Polypropylene 4/0 15mm, 1/2 circle round bodied taper point needle, 90cm length	SML, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
176	POLYPROPYLENE 5/0 16/17MM DOUBLE ENDED NEEDLE	Polypropylene 5/0 16mm, 1/2 circle round bodied taper point needle, 90cm length	SML, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
180	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	Polypropylene 7/0 8mm, 3/8 circle round bodied taper point needle, 60cm length	SML, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected



186	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Surgicryl 910,0 40mm, 1/2 circle round bodied taper point needle	SMI, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
187	POLYGLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	Surgicryl 910,1 40mm, 1/2 circle round bodied taper point needle	SMI, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected
188	POLYGLACTIN NO 2/0 26MM 1/2C 70CM	Surgicryl 910, 2/0 26mm, 1/2 circle round bodied taper point needle	SMI, Belgium	<ol style="list-style-type: none"> 1. Invalid Drug registration certificate attached 2. Medical device registration not attached (only apply) 3. Poor Performance regarding late supplies 	<p>Medical device registration not attached</p> <p>Poor Performance regarding late supplies</p>	Rejected

6. M/s Global Pharmaceuticals

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
90	INJ MEROPENEM 500MG WITH WATER FOR INJECTION (AMP OF 10ML)	Merem 500mg	Global Pharmaceuticals PVT LTD, Pakistan	No experience with this institute	No experience with this institute	Rejected






7. M/s Zahid Traders

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
4	ABSORBENT GAUZE PADS WITHOUT X-RAY THREAD 10X10CM (100/PACK)	Steriband (10cmx10cm)	Faisal Pharmaceutical Industries	GMP not attached MDR not attached	MDR not attached	The product has been technically rejected due to non availability of MDR
14	CAP OMEPRAZOL-20MG	Capzol	Benson Pharmaceutical Industries	Drug Manufacturing License of M/s Benson Pharmaceutical not attached	Drug Manufacturing License of M/s Benson Pharmaceutical attached	Accepted
15	COTTON BANDAGE BPC-10CM X 6M	Cotton Bandage (10cmx6m)	Faisal Pharmaceutical Industries	1. Drug registration certificate not attached 2. GMP not attached	Relevant documents provided	Accepted
16	COTTON CREPE BANDAGE 6" WIDE	Crepe bandage (15cm X 4.5 Mtr.) BPC	Faisal Pharmaceutical Industries	GMP not attached MDR not attached	MDR not attached	The product has been technically rejected due to non availability of MDR
17	COTTON GAUZE ROLL	Steriband (100cm X 30M) BPC	Faisal Pharmaceutical Industries	1. Drug registration certificate not attached 2. GMP not attached	Relevant documents provided	Accepted

8. M/s Cotton Craft

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
1	ABSORBENT CHEST GAUZE WITH X-RAY DETACHABLE THREAD 7.5 X 7.5 CM	Pro-Med X-Ray Gauze 7.5cm X 7.5cm	Cotton Craft Pvt Ltd.	Sample not provided	Sample not provided	Rejected

9. M/s Ibrahim Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
5	BLOOD BAGS 450-500 ML (SINGLE)	Karmi	Kawasumi, Thailand	1. Punjab Teaching Govt. Institutes experience not attached 2. on sample country of origin Japan/germany mention while on technically offer it was Thailand mentioned	1. Punjab Teaching Govt. Institutes experience not attached 2. on sample country of origin Japan/germany mention while on technically offer it was Thailand mentioned	Rejected
6	DOUBLE BLOOD BAG	Karmi	Kawasumi, Thailand	1. Punjab Teaching Govt. Institutes experience not attached 2. on sample country of origin Japan/germany mention while on technically offer it was Thailand mentioned	1. Punjab Teaching Govt. Institutes experience not attached 2. on sample country of origin Japan/germany mention while on technically offer it was Thailand mentioned	Rejected
14	CAP OMEPRAZOL- 20MG	OMETRO 20MG	Caraway Pharmaceuticals, Pakistan	1. Drug registration certificate not attached, applied after expiry of the one year 2. Drug Manufacturer license renewal application not accepted by DRAP due to short documents vide letter no F.1-9/2004-LIC(Vol.II) Date 08.11.2019	DRC Provided but Tab Ometro mentioned instead of capsule	Rejected
58	INJ CEFOPERAZONE + SALBACTUM 2GM WITH WATER FOR INJECTION (2AMP OF 10ML)	Deezon Plus 2G	Shaigan Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience provided	Accepted
71	INJ DIMENHYDRINATE 50MG/ML	MAVINATE	Wimits Pharmaceuticals PVT LTD, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Insufficient Punjab Teaching Govt. Institutes experience attached	Rejected







74	INJ DOPAMINE (AS HCL) 200MG/5ML	Carapamin 200mg/ml	Caraway Pharmaceuticals, Pakistan	1. Drug Manufacturer license renewal application not accepted by DRAP due to short documents vide letter no F.1-9/2004-LIC(Vol.III) Date 08.11.2019 2. No experience with this institute	Experience with this institute in F. Y 2020-2021 provided	Accepted
76	INJ FRUSEMIDE 20MG/2ML	DREETAY 20mg/2ml	Wimits Pharmaceuticals PVT LTD, Pakistan	No experience with this institute	No experience with this institute	Rejected
95	INJ NALBUPHINE HCL 10MG/ML	NAL-BEE	Wimits Pharmaceuticals PVT LTD, Pakistan	No experience with this institute	No experience with this institute	Rejected
119	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Classic Fine 100ml	Changzhou Yuandong, China	Punjab Teaching Govt. Institutes experience not attached	Relevant documents provided	Accepted
145	TAB CLOPIDOGREL- 75MG	WASCOREL 75mg	Wimits Pharmaceuticals PVT LTD, Pakistan	Poor quality	Poor quality	Rejected
156	TAB LISINAPRIL 10MG	TRUPRIL 10mg	SCILIFE PAHRMA PVT LTD, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
169	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	DemesILK 75CM 1-30mm, 1/2 C	Demetech USA	1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute	Medical device registration not attached Punjab Teaching Govt. Institutes experience not attached No experience with this institute	Rejected










170	BLACK SILK 2/0 30MM 3/8C REVERSE/CURVED CUTTING 75CM	DemeSILK 75CM 2/0 30mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
171	BLACK SILK NO.2 37MM 1/2C ROUND BODY NEEDLE	DemeSILK 75CM 2 40mm, 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. Not accoeding to specs 40mm qouted 5. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
172	BLACK SILK SIZE 3/0 WITH 24/26MM ROUND BODY NEEDLE	DemeSILK 75CM 3/0 25mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. Not according to specification 25mm qouted 5. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected

173	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	DemELENE 75cm 2/0 25mm 1/2C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
174	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	DemELENE 75cm 3/0 25mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
175	POLY PROPYLENE 4/0-16MM/15MM- DOUBLE ENDED ROUND BODY NEEDLE	DemELENE 75cm 4/0 15mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected

177	POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	DemELENE 75cm 5/0 13mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
178	POLYPROPYLENE 6-0 10 /11 MM DOUBLE ENDED NEEDLE	DemELENE 60cm 6/0 11mm 3/8 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
179	POLYPROPYLENE 6-0, 8-11 MM DOUBLE ENDED NEEDLE	DemELENE 60cm 6/0 8mm 3/8 C	Demetech USA	<ol style="list-style-type: none"> 1. License to import from DRAP to M/s Sindh Medical Supplies not attached 2. Invalid DRC/MDD attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected


180	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	DemELENE 75cm 7/0 8mm 3/8 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
181	POLYPROPYLENE 7-0, 8 / 9.3MM 1/2C DOUBLE ENDED NEEDLE	DemELENE 75cm 7/0 8mm 3/8 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected
186	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	DemesORB 75cm 0,40mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Insufficient Punjab Teaching Govt. Institutes experience attached</p> <p>No experience with this institute</p>	Rejected

*

187	POLYLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	DemesORB 75cm 1,40mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Sufficient Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Insufficient Punjab Teaching Govt. Institutes experience attached</p> <p>No experience with this institute</p>	Rejected
188	POLYLACTIN NO 2/0 26MM 1/2C 70CM	DemesORB 75cm 2/0 25mm 1/2 C	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. Not according to specs 25mm quoted 5. No experience with this institute 	<p>Medical device registration not attached</p> <p>Insufficient Punjab Teaching Govt. Institutes experience attached</p> <p>Not according to specs 25mm quoted</p> <p>No experience with this institute</p>	Rejected
191	SURGICAL STEEL WIRE NO. 5	DemeSTEEL 47mm 1/2 Circle Taper Cut Heavy 4X45 cm	Demetech USA	<ol style="list-style-type: none"> 1. Invalid drug registration certificate attached 2. Medical device registration not attached 3. Punjab Teaching Govt. Institutes experience not attached 4. No experience with this institute 	<p>Medical device registration not attached</p> <p>Punjab Teaching Govt. Institutes experience not attached</p> <p>No experience with this institute</p>	Rejected





10. M/s Unisa (Pvt) Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
23	DISPOSABLE SYRINGE 10CC WITH NEEDLE	UNJECT	UNISA PVT Ltd. Pakistan	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Not suitable for Angiography procedure	Not suitable for Angiography procedure	Rejected

11. M/s Oncolink Pharma

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
65	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	Ultravist 370 Inj. (1 x 100ml)	Bayer Pharma AG Germany	Authority letter from M/s Bayer Germany to M/s Bayer Lahore not attached	Authority letter attached	Accepted

12. M/s Friends Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
7	BLOOD TRANSFUSION SET	WEGO	Shandong Weigao, China	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience Provided	Accepted
10	CANNULA / BRANULA I.V. NO. 18G SAFETY WITH INJ PORT OR EQUIVALENT	VASOFIX SAFETY	B Braun Malaysia	Invalid EC (93/42/EEC) certificate attached	Valid EC (93/42/EEC) certificate attached	Accepted
11	CANNULA / BRANULA I.V. NO. 20G SAFETY WITH INJ PORT OR EQUIVALENT	VASOFIX SAFETY	B Braun Malaysia	Invalid EC (93/42/EEC) certificate attached	Valid EC (93/42/EEC) certificate attached	Accepted
12	CANNULA / BRANULA I.V. NO. 22G SAFETY WITH INJ PORT OR EQUIVALENT	VASOFIX SAFETY	B Braun Malaysia	Invalid EC (93/42/EEC) certificate attached	Valid EC (93/42/EEC) certificate attached	Accepted

13	CANNULA / BRANULA I.V. NO. 24G SAFETY WITH INJ PORT OR EQUIVALENT	Introcann SAFETY	B Braun Malaysia	Invalid EC (93/42/EEC) certificate attached	Valid EC (93/42/EEC) certificate attached	Accepted
19	DISPOSABLE INSULIN SYRINGE-1CC WITH NEEDLE	Shifa	Changzhou Tongda Medical China	1. Drug registration certificate invalid attached 2. Apply for Medical device registration	MDR not provided	Rejected
24	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	Shifa	Changzhou Tongda Medical China	1. Drug registration certificate invalid attached 2. Apply for Medical device registration	MDR not provided	Rejected
25	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Shifa	Changzhou Tongda Medical China	1. Drug registration certificate invalid attached 2. Apply for Medical device registration	MDR not provided	Rejected
27	DRIP SET / INFUSION SET	Shifa	Changzhou Tongda Medical China	1. Drug registration certificate invalid attached 2. Apply for Medical device registration	MDR not provided	Rejected
119	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Shifa	Changzhou Tongda Medical China	1. Drug registration certificate invalid attached 2. Apply for Medical device registration	MDR not provided	Rejected
133	TAB AMLODIPINE- 5MG	M-Low	Scilife Pakistan	Punjab Teaching Govt. Institutes experience not attached	Insufficient Punjab Teaching Govt. Institutes experience provided	Rejected
169	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	Unisilk 1, 30mm 1/2 circle round bodied, Unisilk	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected

170	BLACK SILK 2/0 30MM 3/8C REVERSE/CURVED CUTTING 75CM	Unisilk 2/0, 25mm 1/2 circle round bodied, Unisilk	Unimed (KSA) United Medical Industries Saudia Arabia	1. Not according to specs 25mm quoted 2. Punjab Teaching Govt. Institutes experience not attached 3. No experience with this institute	1. Not according to specs 25mm quoted 2. Punjab Teaching Govt. Institutes experience not attached 3. No experience with this institute	Rejected
171	BLACK SILK NO 2 37MM 1/2C ROUND BODY NEEDLE	Unisilk 2, 40mm 1/2 circle round bodied, Unisilk	Unimed (KSA) United Medical Industries Saudia Arabia	1. Not according to specs 40mm quoted 2. Punjab Teaching Govt. Institutes experience not attached 3. No experience with this institute	1. Not according to specs 25mm quoted 2. Punjab Teaching Govt. Institutes experience not attached 3. No experience with this institute	Rejected
172	BLACK SILK SIZE 3/0 WITH 24/26MM ROUND BODY NEEDLE	Unisilk 3/0, 25mm 1/2 circle round bodied, Unisilk	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
173	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	Unipro 2/0, 25mm 1/2 circle cut, taper double, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
174	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Unipro 3/0, 25mm 1/2 circle RB double 90cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected






175	POLY PROPYLENE 4/0-16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Unipro 4/0, 16mm 1/2 circle RB double 90cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
176	POLYPROPYLENE 5/0 16/17MM DOUBLE ENDED NEEDLE	Unipro 5/0, 16mm 1/2 circle RB double 90cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
177	POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	Unipro 5/0, 13mm 1/2 circle RB fine double 75cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
178	POLYPROPYLENE 6-0 10 /11 MM DOUBLE ENDED NEEDLE	Unipro 6/0, 10mm curved RB double 60cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
179	POLYPROPYLENE 6-0, 8-11 MM DOUBLE ENDED NEEDLE	Unipro 6/0, 8mm curved RB fine double 60cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
180	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	Unipro 7/0, 8mm curved RB fine double 60cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
181	POLYPROPYLENE 7-0, 8 / 9.3MM 1/2C DOUBLE ENDED NEEDLE	Unipro 7/0, 8mm curved RB fine double 60cm, Unipro	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected

186	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Unicryl 0, 40mm 1/2 circle round bodied 90cm, Unicryl	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
187	POLYGLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	Unicryl 1, 40mm 1/2 circle round bodied 80cm, Unicryl	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
188	POLYGLACTIN NO 2/0 26MM 1/2C 70CM	Unicryl 2/0, 26mm 1/2 circle round bodied 75cm, Unicryl	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected
189	POLYGLACTIN 3/0, 16MM/19MM, 3/8C CUTTING NEEDLE	Unicryl 3/0, 16mm curved P-type cutting undyed 75cm, Unicryl	Unimed (KSA) United Medical Industries Saudia Arabia	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected



13. M/s Hiranis Pharma

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
144	TAB CIPROFLOXACIN 500MG	ZOLINA	M/s Hiranis Pharmaceuticals Pvt. Ltd. Pakistan	No experience with this institute	No experience with this institute	Rejected
155	TAB LEVOFLOXACIN 500MG	OLEVO	M/s Hiranis Pharmaceuticals Pvt. Ltd. Pakistan	No experience with this institute	No experience with this institute	Rejected
160	TAB MONTELUKAST 10MG	PURGO	M/s Hiranis Pharmaceuticals Pvt. Ltd. Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Rejected




14. M/s New Omni Traders

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
48	INJ ALBUMIN 20%	Human Albumin 20% 50ml	CSL Behring Germany	1. Agreement between CSL Behring to M/s Hakim Sons expired 2. Registration of change of importer not attached	1. Agreement between CSL Behring to M/s Hakim Sons provided 2. Registration of change of importer attached	Accepted

15. M/s Zainbian Enterprises

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
169	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	Surjiline Silk Braided 1-30mm	Vikor Healthcare Pvt. Ltd	Invalid Drug Manufacturing License attached	Application for renewal of DML attached	Accepted
170	BLACK SILK 2/0 30MM 3/8C REVERSE/CURVED CUTTING 75CM	Surjiline Silk Braided 26m/29mm	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Not according to specs (26/29mm) 3. Punjab Teaching Govt. Institutes experience not attached	Not according to specs (26/29mm) Insufficient Punjab Teaching Govt. Institutes experience attached	Rejected
171	BLACK SILK NO.2 37MM 1/2C ROUND BODY NEEDLE	Surjiline Silk Braided	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
172	BLACK SILK SIZE 3/0 WITH 24/26MM ROUND BODY NEEDLE	Surjiline Silk Braided 3/0 26mm	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Punjab Teaching Govt. Institutes experience not attached	Insufficient Punjab Teaching Govt. Institutes experience attached	Rejected

173	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	Surgiline TM	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
174	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Surgiline TM	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
175	POLY PROPYLENE 4/0-16MM/15MM- DOUBLE ENDED ROUND BODY NEEDLE	Surgiline TM	Vikor Healthcare Pvt. Ltd	1. Invalid Drug Manufacturing License attached 2. Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected

16. M/s Grace Pharma

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
19	DISPOSABLE INSULIN SYRINGE-1CC WITH NEEDLE	ALPHA	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Sample not provided	Sample not provided	Rejected
22	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	ALPHA	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Not entertained in this tender	Not entertained in this tender	Rejected
23	DISPOSABLE SYRINGE 10CC WITH NEEDLE	ALPHA	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Sample not provided	Sample not provided	Rejected

25	DISPOSABLE SYRINGE 50CC WITH NEEDLE	ALPHA	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Sample with side nozzle provided	The specification demanded was disposable syringe with needle whereas the provided sample was syringe with side nozzle	Rejected
27	DRIP SET / INFUSION SET	ALPHA	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Punjab Teaching Govt. Institutes experience not attached	Insufficient Punjab Teaching Govt. Institutes experience provided.	Rejected
65	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	IOXICAN 350mg/100ml	M/S JODAS EXPOLIM PVT LTD. INDIA	No experience with this institute	No experience with this institute	Rejected
119	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	ALPHA 100ml	M/S JIANGXI HONGDA MEDICAL EQUIPMENT GROUP LTD. CHINA	Poor quality	Poor quality	Rejected

17. M/s Punjab Medical Service

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
113	INJ TIROFIBAN HYDROCHLORIDE 12.5MG/50ML VIAL IN UNIT CARTON	Inj Tirostu 12.5mg/50ml	M/s Onko ilac sanayi ve Ticaret A.S Turkey	market experience less than 1 year from date of registration i.e. 28.10.2020	market experience less than 1 year from date of registration i.e. 28.10.2020	Rejected

18. M/s Allimed Pvt Ltd.,

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
96	INJ NORADRENALINE 4MG/4ML	EPINOR 8mg/4ml equivalent to 4mg	Allimed Pvt Ltd, Pakistan	1. Invalid drug registration certificate attached 2. Invalid GMP attached	1. Renewal of DRC Provided 01.04.2021 2. GMP Provided 15.07.2021	Accepted

Bid

Sr	Company Name	TAC Observations	GC Observation	Remarks
1	Bid Reject of M/s Hudson Pharma	DML going to expire on 24-08-2021	Renewal of DML provided	Accepted

19. M/s Hudson Pharma

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
49	Inj. Amikacin 500mg/2ml	Amak 500mg/2ml	Hudson Pharmaceuticals	GMP not attached	Valid GMP Provided	Accepted
84	Inj. Ketoralac 30mg/ml	Torason 30mg/ml	Hudson Pharmaceuticals	GMP not attached Punjab Teaching Govt. institute experience not attached	Valid GMP Provided Punjab Teaching Govt. institute experience provided	Accepted
120	Nebules Ipratropium Bromide 0.25mg/ml	Easehale 0.025% 2ml	Hudson Pharmaceuticals	GMP not attached	Valid GMP Provided	Accepted

Bid

Sr	Company Name	TAC Observations	GC Observation	Remarks
1	Bid Reject of M/s Madina Medicine Company	Invalid DSL attached	Valid DSL provided	Accepted

20. M/s Madina Medicine Company

Item #	Item Name	Brand Name	Manufactured By / Imported By	TAC Observations	GC Observation	Remarks
14	CAP OMEPRAZOL-20MG	Cap. REMEZON	Relizon Pharmaceuticals	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
58	INJ CEFOPERAZONE + SALBACTUM 2GM WITH WATER FOR INJECTION (2AMP OF 10ML)	Inj. Niciobact 2G	Nicholas Pharmaceuticals	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected






61	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Inj. Cefzect 1G	Nicholas Pharmaceuticals	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
90	INJ MEROPENEM 500MG WITH WATER FOR INJECTION (AMP OF 10ML)	Inj. Noopem 500mg	Nicholas Pharmaceuticals	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
127	SUSP CEFIXIME 100MG/5ML POWDER FOR 30ML SUSPENSION	Susp. Neproxime 100mg/5ml	Nicholas Pharmaceuticals	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
129	SYP LACTULOSE (3.35G/5ML)	Susp. OBLAC 3.35g/5ml	OBSON Pharmaceuticals	1. Invalid Drug Manufacturing License attached since 2000 while applied in 2020 2. As per decision of the 309th meeting of registration board dated 15.07.2021 DML is hereby cancelled by the DRAP 3. GMP not attached	1. Invalid Drug Manufacturing License attached since 2000 while applied in 2020 2. As per decision of the 309th meeting of registration board dated 15.07.2021 DML is hereby cancelled by the DRAP 3. GMP not attached	Rejected
144	TAB CIPROFLOXACIN 500MG	CIPROREL 200MG	Vision Pharmaceuticals	GMP for Antibiotic not attached	GMP for Antibiotic not attached	Rejected
155	TAB LEVOFLOXACIN 500MG	Tab RELVO 500mg	Vision Pharmaceuticals	GMP for Antibiotic not attached	GMP for Antibiotic not attached	Rejected
156	TAB LISINAPRIL 10MG	Tab SINOPRIL 10mg	OBSON Pharmaceuticals	1. Invalid Drug Manufacturing License attached since 2000 while applied in 2020 2. As per decision of the 309th meeting of registration board dated 15.07.2021 DML is hereby cancelled by the DRAP 3. GMP not attached	1. Invalid Drug Manufacturing License attached since 2000 while applied in 2020 2. As per decision of the 309th meeting of registration board dated 15.07.2021 DML is hereby cancelled by the DRAP 3. GMP not attached	Rejected

160	TAB MONTELUKAST 10MG	Tab AONUCAST	Relizon Pharmaceuticals	1. Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided	1. Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided	Rejected
-----	-------------------------	-----------------	----------------------------	---	---	----------

Hiranis Pharma

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Husnain Pharma	Tab Cyto & Tab Lofamin The above said products are rejected in Technical Evaluation due to No experience with this institute in FY 2020-21 now in this FY 2021-22 the products are technical approved Tab Flexiflow The above said products are rejected in Technical Evaluation due to No experience with this institute in FY 2020-21 now in this FY 2021-22 the products are technical approved	The firm provided the required documents	Grievance Rejected
2	Grievance Against M/s Wilshire	Tab Amdol The above said products are rejected in Technical Evaluation due to No experience with this institute in FY 2020-21 now in this FY 2021-22 the products are technical approved	The firm provided the required documents	Grievance Rejected
3	Grievance Against M/s Tahir Pharmacy	Tab Amdol The above said products are rejected in Technical Evaluation due to No experience with this institute in FY 2020-21 now in this FY 2021-22 the products are technical approved	The firm provided the required documents	Grievance Rejected







Friends Enterprises

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Surge Laboratories.	M/s Surge Lab don't have experience of Inj. Atracurium 3ml	The letter with Diary No. 12585 dated 30-08-2021 received from end user regarding the unsatisfactory report of inj. Atracurium 3ml, the committee unanimously decided according to bidding documents clause and end user reservation the inj. Atracurium (efacurium 3ml) has been technically rejected.	The letter with Diary No. 12585 dated 30-08-2021 received from end user regarding the unsatisfactory report of inj. Atracurium 3ml, the committee unanimously decided according to bidding documents clause and end user reservation the inj. Atracurium (efacurium 3ml) has been technically rejected.
2	Grievance Against M/s Cotton Craft	Firm has not MDR for Absorbent Gauze 10x10 Cotton Crepe Bandage 6"	The firm has valid MDR for absorbent gauze 10x10 The firm don't have MDR for Cotton Crape Bandage	Grievance against Cotton crepe bandage accepted and the product cotton crepe bandage of M/S cotton craft has been technically rejected.






3	Grievance Against M/s Zahid Traders (Faisal Pharmaceuticals)	Firm has not MDR for Absorbent Gauze 10x10 Cotton Crepe Bandage 6"	The firm do not have MDR for Absorbent Gauze 10x10 The firm don't have MDR for Cotton Crape Bandage M/s Friends Entp. Has provided MDR for absorbent gauze 10x10 with X-ray detectable thread i.e. contrary with our specification of absorbent gauze 10x10 without X-ray detectable thread	The Firm M/S Zahid traders donot have MDR so product Absorbent guaze 10 x 10 cm is technically rejected The product of M/s Friends Ent. absorbent gauze 10x10 cm is rejected on the basis of GC observation. Grievance against Cotton crepe bandage accepted and the product cotton crepe bandage of M/S Zahid traders has been technically rejected.
4	Grievance Against M/s Kohinoor Ind.	Firm has not MDR for Absorbent Gauze 10x10 Cotton Crepe Bandage 6" Valid GMP not available for Iodine Solution No experience in cardiac institute Povidone Surgical Scrub	The firm doesn't have MDR but valid DRC for absorbent gauze 10 x 10 cm. The firm don't have MDR for Cotton Crape Bandage Application for Renewal of GMP Attached 08.09.2020 Experience for Povidone Surgical Scrub provided	Grievance absorbent gauze 10x10 rejected Grievance for Cotton crape bandage accepted Grievance Rejected

5	Grievance Against M/s FVNK	No experience in cardiac institute for Inj. Midazolam and also not available in any chain pharmacy	Relevant experience provided Market experience provided	Grievance Rejected
---	----------------------------	--	--	--------------------

Ibrahim Enterprises

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Zedco	Brand Terumo for blood bag registration date 07.04.2021 Sample is from Vietnam instead of UK	M/S Zedco has registered blood bag for the first time as medical device on 07-04-2021 so it do not have at least one year market experience after registration.	Grievance against blood bags accepted and the product blood bags of M/S Zedco has been technically rejected.
2	Grievance Against M/s Unisa Pvt Ltd.,	No experience of cardiac hospital for Drip Set/IV Set	The firm has relevant experience for Drip Set/IV Set	Grievance Rejected
3	Grievance Against M/s Tabros Pharma	The firm failed to supply of Tab. Lisinopril in time	The firm provided supply on time	Grievance Rejected

Ali Medical Store

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Zainbian	1. Product IV Cannula. No Experience in Govt. Hospital 2. MDR not available	1. The firm has relevant experience 2. MDR for IV Cannula not provided	Grievance accepted and product of M/s Zainbian has been technically rejected

Zainbian

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Ali Medical Store	Product IV Cannula The firm don't have experience in Punjab Govt. Hospital	The firm has relevant experience for IV Cannula	Grievance Rejected

Zahid Traders

Sr.	Description	Firm Grievance	GC Observation	Decision
1	Grievance Against M/s Friends Enterprises	The firm don't have experience of Absorbent Gauze 10x10	The firm has relevant experience for Absorbent Gauze 10x10	Grievance Rejected


Bid


Sr	Company Name	TAC Observations	GC Observation	Remarks
1	Bid Reject of M/s M&P	Bid rejected according to PPRA rules No. 36A, one person can submit only one bid	Firm submit two bids instead of one bid	Rejected


 Mrs. Iqra Munir,
 Pharmacist,
 FIC, Faisalabad.


 Engr. Sharaz Ali
 Bio Medical Engineer
 FIC, Faisalabad.

Dr. Rehan Riaz
 Assistant Prof. of Cardiac Surgery,
 FIC, Faisalabad.


 Dr. Shahbaz Ahmad Khiliji,
 Associate Prof. of Cardiac Surgery,
 FIC, Faisalabad.


 Dr. Zafar Abbas Khan,
 Medical Superintendent,
 FIC, Faisalabad.