

**MINUTES OF GRIEVANCE COMMITTEE MEETING
FAISALABAD INSTITUTE OF CARDIOLOGY, FAISALABAD**

A meeting of Grievance Committee for product of Drug/ Medicine F. Y. 2024-25 was held on 05-06-2024 at 10:00 am in the Office of the Medical Superintendent, Faisalabad Institute of Cardiology, Faisalabad.

Drug/ Medicine

1. M/s Al-Makkah Medicine Company

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
140	TAB CLOPIDOGREL-75MG	Tab. Clopid	Ferozsons Laboratories Limited	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted

2. M/s Friends Enterprises

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
5	BLOOD BAGS 450-500 ML (SINGLE)	Star Single Blood Bag	Suzhou Laishi Transfusion, CHINA	1. Free sale certificate not attached. 2. Punjab Teaching Govt. Institutes experience not attached	Kept pending	Re-Tender
6	DOUBLE BLOOD BAG	Star Double Blood Bag	Suzhou Laishi Transfusion, CHINA	1. Free sale certificate not attached. 2. Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
7	BLOOD TRANSFUSION SET	Standard Star	Jiangsu Kanghua Medical, CHINA	1. Poor quality 2. Free sale certificate not attached. 3. EC certificate not attached. 4. Punjab Teaching Govt. Institutes experience not attached 5. Medical Device Registration not attached 6. Authority Letter not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. Authority Letter not attached	Rejected

9	CANNULA / BRANULA I.V. NO. 16G WITH INJ PORT	Vasofix	B Braun, Malaysia	<p>1. Punjab Teaching Govt. Institutes experience not attached</p> <p>2. Free sale certificate not attached</p> <p>3. Name of manufacturer on EC Certificate M/S B Braun Germany while on technical offer M/S B Braun Malaysia mentioned.</p>	Relevant documents provided	Accepted
10	CANNULA / BRANULA I.V. NO. 18G WITH INJ PORT	Vasofix	B Braun, Malaysia	<p>1. Sufficient Punjab Teaching Govt. Institutes experience not attached</p> <p>2. Free sale certificate not attached</p> <p>3. Name of manufacturer on EC Certificate M/S B Braun Germany while on technical offer M/S B Braun Malaysia mentioned.</p>	Relevant documents provided	Accepted
11	CANNULA / BRANULA I.V. NO. 20G WITH INJ PORT	Vasofix	B Braun, Malaysia	<p>1. Free sale certificate not attached</p> <p>2. Name of manufacturer on EC Certificate M/S B Braun Germany while on technical offer M/S B Braun Malaysia mentioned.</p>	Relevant documents provided	Accepted
12	CANNULA / BRANULA I.V. NO. 22G WITH INJ PORT	Vasofix	B Braun, Malaysia	<p>1. Free sale certificate not attached</p> <p>2. Name of manufacturer on EC Certificate M/S B Braun Germany while on technical offer M/S B Braun Malaysia mentioned.</p>	Relevant documents provided	Accepted
20	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	L.D TRU- LOCK	Lasani HealthCare, Pakistan	No experience with this institute	End user reservation	Rejected
21	DISPOSABLE SYRINGE 10CC WITH NEEDLE	BD	BD, Singapore	Invalid License to import of M/S Asto Life Sciences attached.	Valid License to import of M/S Asto Life Sciences attached.	Accepted
26	FOLEY S CATHETER 06Fr, 08Fr	Perfect	Evereast Medical Product, China	EC certificate not attached.	EC certificate attached.	Accepted

28	FOLEY S CATHETER (ALL SIZES)	Perfect	Evereast Medical Product, China	EC certificate not attached.	EC certificate attached.	Accepted
77	INJ HEPARINE 5000IU/ML	Heparin	Cisen Pharmaceuticals, China	1. GMP not attached. 2. No experience with this institute	1. GMP attached 2. End user reservation	Rejected
90	INJ MIDAZOLAM 5MG/5ML	Dormicum	Genexi SAS, France	1. Agency Agreement not attached. 2. GMP not attached	Relevant documents provided	Accepted
100	INJ PIPRACILLIN 4G + TAZOBACTAM 500MG WITH WATER FOR INJECTION VIAL IN UNIT CARTON (2AMP OF 10ML)	4.5g Taztin	Martin Dow LTD, Pakistan	GMP not attached	GMP certificate attached	Accepted

3. M/s Global Pharmaceuticals

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
59	INJ CEFOPERAZONE + SALBACTAM 2GM WITH WATER FOR INJECTION (2AMP OF 10ML)	Glopez 2gm	Global Pharmaceuticals Pvt. Ltd, Isb, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
87	INJ MEROPENEM 500MG WITH WATER FOR INJECTION (AMP OF 10ML)	Merem 500mg	Global Pharmaceuticals Pvt. Ltd, Isb, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted

4. M/s Hope Enterprises

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
70	INJ DIMENHYDRINATE 50MG/ML	Inj. Dirinate	Elite Pharma	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
72	INJ DOBUTAMINE (AS HCL) 250MG/5ML	Inj. Dobelite	Elite Pharma	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
73	INJ DOPAMINE (AS HCL) 200MG/5ML	Inj. Dopilax	Elite Pharma	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
74	INJ ENOXAPRIN SODIUM 60MG/0.6ML	Inj. Clotles SS 60mg	Himont Pharmaceuticals Pvt. Ltd	1. Drug Registration Certificate not attached 2. Authority letter from M/S Himont Pharma to M/S Hope Enterprises not attached	1. Drug Registration Certificate not attached 2. Authority letter from M/S Himont Pharma to M/S Hope Enterprises not attached	Rejected

					enterprises not attached.	attached.	
152	TAB LOSARTAN POTASSIUM 50MG	Tab. Lozak	Friends Pharma Pvt. Ltd		3. License to manufacturer of M/S Himont Pharma not attached. 1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected

5. M/s Husnain Pharma

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
19	DISPOSABLE AUTODISABLE SYRINGE 3CC WITH NEEDLE	Yi Xin Auto Disable Syringe 3cc	Jiangxi Sanxin Medtec Co. Ltd. China	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected
20	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	Yi Xin Auto Disable Syringe 5cc	Jiangxi Sanxin Medtec Co. Ltd. China	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	End user reservation	Rejected
21	DISPOSABLE SYRINGE 10CC WITH NEEDLE	UCI Disposable Syringe	Jiangxi Sanxin Medtec Co. Ltd. China	1. Punjab Teaching Govt. Institutes experience not attached 2. Not suitable for cath lab use	1. Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected
26	FOLEY S CATHETER 06Fr, 08Fr	U-Flo Foley Catheter	Zhanjiang Star Enterprise Co. Ltd. China	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
27	FOLEY S CATHETER 10Fr, 12Fr, 14Fr	U-Flo Foley Catheter	Zhanjiang Star Enterprise Co. Ltd. China	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
28	FOLEY S CATHETER (ALL SIZES)	U-Flo Foley Catheter	Zhanjiang Star Enterprise Co. Ltd. China	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
59	INJ CEFOPERAZONE + SALBACTAM 2GM WITH WATER FOR INJECTION (2AMP OF 10ML)	Bactecel	Synchro Pharmaceuticals, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided.	Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided.	Rejected

62	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Taxocyn	Synchro Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
92	INJ NALBUPHINE HCL 10MG/ML	Naizee	Synchro Pharmaceuticals, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided.	1. Punjab Teaching Govt. Institutes experience not attached 2. Sample not provided.	Rejected
121	SUSP CEFIXIME 100MG/5ML POWDER FOR 30ML SUSPENSION	Syncoef	Synchro Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
125	SYP Ammonium Chloride + Diphenhydramine Hydrochloride + Aminophylline	Symen Cough Syrup	Synchro Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
139	TAB CIPROFLOXACIN 500MG	Synocip	Synchro Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
150	TAB LEVOFLOXACIN 500MG	Ob-Flox	Synchro Pharmaceuticals, Pakistan	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected

6. M/s Ibrahim Enterprises

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
5	BLOOD BAGS 450-500 ML (SINGLE)	Classic Plus	Ningbo Yingmed Medical, China	Punjab Teaching Govt. Institutes experience not attached	Kept Pending	Re-tender
7	BLOOD TRANSFUSION SET	ST Classic	Shandong Wuzhou, China	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience not attached	Rejected
10	CANNULA / BRANULA I.V. NO. 18G WITH INJ PORT	GREEN	Silver Surgical Complex, Pakistan	Poor Quality	End user reservation	Rejected
11	CANNULA / BRANULA I.V. NO. 20G WITH INJ PORT	GREEN	Silver Surgical Complex, Pakistan	Poor Quality	End user reservation	Rejected
12	CANNULA / BRANULA I.V. NO. 22G WITH INJ PORT	GREEN	Silver Surgical Complex, Pakistan	Poor Quality	End user reservation	Rejected
13	CANNULA / BRANULA I.V. NO. 24G WITH INJ PORT	GREEN	Silver Surgical Complex, Pakistan	Poor Quality	End user reservation	Rejected

18	DISPOSABLE INSULIN SYRINGE- 1CC WITH NEEDLE	Classic Fine	Changzhou Yuandong, China	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	Sufficient Punjab Teaching Govt. Institutes experience not attached End user reservation	Rejected
22	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	Classic Fine	Changzhou Yuandong, China	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
25	DRIP SET / INFUSION SET	ST Classic	Shandong Wuzhou, China	Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
65	INJ CONTRAST NON IONIC LOW OSMOLAIRTY 100ML	loxican 100ml	JodasExpoin, India	1. Name of product not mentioned on GMP Certificate. 2. Lincense to import of M/S Graton Pharma not attached. 3. No experience with this institute	1. Lincense to import of M/S Graton Pharma not attached. 2. End user reservation	Rejected
112	INJ VANCOMYCIN (AS HCL) 500MG WITH WATER FOR INJECTION (AMP OF 5ML)	Vancom	GENIX PHARMA (PVT) LTD, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
115	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Classic Fine	Changzhou Yuandong, China	Invalid EC attached	Valid EC attached	Accepted
134	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Lipotrim	MAPLE PHARMACEUTICALS, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
170	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	BT-SILK SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
171	BLACK SILK 2/0 25MM-30MM 3/8C	2/0 25MM-30MM BT-SILK SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. Poor quality	1. End user reservation	Rejected

	REVERSE/CURVED CUTTING 75CM				2.. EC certificate not attached 3. Medical device registration not attached 1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	2. EC certificate not attached 3. Medical device registration not attached 1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
172	BLACK SILK NO.2 37MM-40MM 1/2C ROUND BODY NEEDLE	37MM-40MM BT- SILK SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN		1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
173	BLACK SILK SIZE 3/0 WITH 20MM-26MM ROUND BODY NEEDLE	20MM-26MM BT- SILK SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN		1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
174	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN		1. poor quality 2. EC certificate not attached 3. Medical device registration not attached	1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached 1. End user reservation	Rejected
175	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN		1. poor quality 2. EC certificate not attached 3. Medical device registration not attached	1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached 1. End user reservation	Rejected
176	POLY PROPYLENE 4/0-16MM/15MM- DOUBLE ENDED ROUND BODY NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN		1. poor quality 2. Sufficient Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached	1. End user reservation 2. Sufficient Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device	Rejected

177	POLYPROPYLENE 5/0 16/17MM DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN	4. Medical device registration not attached 1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	registration not attached 1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
178	POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
179	POLYPROPYLENE 6- 0 11 MM DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
180	POLYPROPYLENE 6- 0 13 MM DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	Rejected
181	POLYPROPYLENE 7- 0, 8MM 1/2C DOUBLE ENDED NEEDLE	BT- POLYPROPYLENE	OPHTH PHARMA (PVT) LTD, PAKISTAN	1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached	1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. Punjab Teaching Govt.	Rejected

183	POLYESTER 2/0 17MM 1/2 C TAPER CUT DOUBLE ENDED NEEDLE	BT-POLYESTER	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. Punjab Teaching Govt. Institutes experience not attached. 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. Punjab Teaching Govt. Institutes experience not attached. 3. EC certificate not attached 4. Medical device registration not attached	Rejected
185	POLYGLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	BT-PGA SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. EC certificate not attached 3. Medical device registration not attached 1. poor quality	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached	Rejected
186	POLYGLACTIN NO 2/0 26MM-30MM 1/2C 70CM/75CM	BT-PGA SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. EC certificate not attached 3. Medical device registration not attached 1. poor quality	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached	Rejected
187	POLYGLACTIN 3/0, 16MM/22MM, 3/8C CUTTING / ROUND BODY NEEDLE	BT-PGA SUTURE	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. EC certificate not attached 3. Medical device registration not attached 1. poor quality	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached	Rejected
188	SURGICAL STEEL WIRES NO. 4	BT-STAINLESS STEEL WIRE	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. EC certificate not attached 3. Medical device registration not attached 1. poor quality	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. EC certificate not attached 3. Medical device registration not attached	Rejected
189	SURGICAL STEEL WIRE NO. 5	BT-STAINLESS STEEL WIRE	OPHTH PHARMA (PVT) LTD, PAKISTAN	Govt. Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. poor quality 2. EC certificate not attached	Institutes experience not attached 3. EC certificate not attached 4. Medical device registration not attached 1. End user reservation 2. EC certificate not attached	Rejected

					attached	3. Medical device registration not attached	3. Medical device registration not attached	
--	--	--	--	--	----------	---	---	--

7. M/s Muller & Phipps

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
170	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	Mersik Braided Black 1, 31mm, MO-5, 1/2 Circle Taper Point (Heavier Wire Diameter) Needle, 75cm Length, Sutures Non-Absorb-Silk	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
172	BLACK SILK NO.2 37MM-40MM 1/2C ROUND BODY NEEDLE	Mersik Silk Braided Black gauge 5 (2) 75cm on 40mm 1/2 Circle round bodied heavy Needle, Sutures Non-Absorb-Silk	Johnson & Johnson, USA	Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
173	BLACK SILK SIZE 3/0 WITH 20MM-26MM ROUND BODY NEEDLE	Mersik Black 3/0, 25mm 1/2 Circle Round Bodied Sutures Non-Absorb-Silk	Johnson & Johnson, USA	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience attached	Accepted
175	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Prolene Blue Monofilament Polypropylene Size 3/0 with 26MM SH, 1/2 Circle Taper Point Double Needle 90cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
176	POLY PROPYLENE 4/0-16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Prolene Blue Monofilament Polypropylene Size 4/0 with 16MM CC 1/2 Circle Double Needle 90cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
177	POLYPROPYLENE 5/0 16/17MM DOUBLE ENDED NEEDLE	Prolene Blue Monofilament Polypropylene Size 5/0 with 17MM RB-1, 1/2 Circle Taper	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted

178	POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	Point Double Needle 90cm Length, Sutures Non-Absorb-Prolene Prolene Blue Monofilament Polypropylene Size 5/0 with 13MM RB-2, 1/2 Circle Round Bodied Double Needle 75cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience attached	Accepted
179	POLYPROPYLENE 6-0 11 MM DOUBLE ENDED NEEDLE	Prolene Blue Monofilament Polypropylene Size 6/0 with 13MM C-1, 3/8 Circle Taper Poin Double Needle 75cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Sample not according to specification	Sample not according to specification	Rejected
181	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	Prolene Blue Monofilament Polypropylene Size 7/0 with 9.3MM BV-1, 3/8 Circle Taper Poin Double Needle 60cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Sample not according to specification	Sample not according to specification	Rejected
182	POLY PROPYLENE 8/0 - 6.5 MM (DOUBLE ENDED ROUND BODY NEEDLE)	Prolene Blue Monofilament Polypropylene Size 8/0 with 6.5MM BV-130-, 3/8 Circle Taper Poin Double Multipass Needle 40cm Length, Sutures Non-Absorb-Prolene	Johnson & Johnson, USA	Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
183	POLYESTER 2/0 17MM 1/2 C TAPER CUT DOUBLE ENDED NEEDLE	ETHIBOND Excel Braided Polyester Green Size 2/0 with 17MM V-5 1/2 Circle Tapercut Double Needle 90cm Length, Sutures Non-Absorb-Ethibond	Johnson & Johnson, USA	1. Punjab Teaching Govt. Institutes experience not attached 2. Not suitable for cardiac surgery procedure	Sufficient Punjab Teaching Govt. Institutes experience not attached End user reservation	Rejected
184	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Coated Vicryl Plus Antibacterial (Polyglactin 910)	Johnson & Johnson, Belgium/Germany/UK	Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected

186	POLYLACTIN NO 2/0 26MM-30MM 1/2C 70CM/75CM	Violet 0, 40MM CT, 1/2 Taper Point (Heavier Wire Diameter) 90cm Length, Sutures Absorbable-Vicryl Plus	Johnson & Johnson, Belgium/Germany/UK	Sample not according to specification	Sample not according to specification	Sample not according to specification	Rejected
187	POLYLACTIN 3/0, 16MM/22MM, 3/8C CUTTING / ROUND BODY NEEDLE	Coated Vicryl Plus Antibacterial (Polyglactin 910) Violet 2/0, 31MM MH-1, 1/2 Taper Point (Heavier Wire Diameter) 70cm Length, Sutures Absorbable-Vicryl Plus	Johnson & Johnson, USA /Mexico	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
188	SURGICAL STEEL WIRES NO. 4	Stainless Steel Wire Monofilament 4, 48MM, V-40, 1/2 Circle Taper Cut Heavy Needle, 4x45CM Length, Sutures Non-Absorb- Other	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
189	SURGICAL STEEL WIRE NO. 5	Stainless Steel Wire Monofilament 5, 48MM, V-40, 1/2 Circle Taper Cut Heavy Needle, 4x45CM Length, Sutures Non-Absorb- Other	Johnson & Johnson, USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted

8. M/s MH Pharma

Bid

Sr	Company Name	TAC Observations	GC Observation	Remarks/Decision
1	Bid Reject of M/s MH Pharma	Bank statement not attached	Bank statement attached	Accepted

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
140	TAB CLOPIDOGREL-75MG	Hexla 75mg Tablets Blister Pack	WnsFeild Pharmaceuticals, Pakistan	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	End user reservation	Rejected

9. M/s Pioneer Pharma

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
5	BLOOD BAGS 450-500 ML (SINGLE)	M.I.	M/S Suzhou Laishi Transfusion Equipment, China	Original authority letter from M/S Mehran International (M.I) to M/S Pioneer Pharma required for verification. 1. Poor quality 2. Sufficient Punjab Teaching Govt. Institutes experience not attached 3. Medical Device Registration certificate not attached	Kept Pending	Re-Tender
7	BLOOD TRANSFUSION SET	M.I	M/S Shandong Qinkai Medical Industry, China	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. No experience with this institute	End user reservation	Rejected
12	CANNULA / BRANULA I.V. NO. 22G WITH INJ PORT	M.I	Changzhou Kenno Medical Instruments, China	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. No experience with this institute	End user reservation	Rejected
13	CANNULA / BRANULA I.V. NO. 24G WITH INJ PORT	M.I	Changzhou Kenno Medical Instruments, China	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. Invalid Free sale certificate attached 4. No experience with this institute	End user reservation	Rejected

14	CAP OMEPRAZOL-20MG	Opza 20mg	Davis Pharma, Pakistan	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute 1. EC certificate not attached	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected
15	COTTON BANDAGE BPC-10CM X 6M	Prime Bandage BPC	Kohinoor Industries, Pakistan	2. Sufficient Punjab Teaching Govt. Institutes experience not attached Sufficient Punjab Teaching Govt. Institutes experience not attached	Relevant documents provided	Accepted
16	COTTON CREPE BANDAGE 6" WIDE	Elastomeer	Kohinoor Industries, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
18	DISPOSABLE INSULIN SYRINGE-1CC WITH NEEDLE	Yushou Disposable Insulin Syringe 1ml	Wuxi Yushou Medical Appliance Co, ltd, China	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. No experience with this institute	End user reservation	Rejected
19	DISPOSABLE AUTODISABLE SYRINGE 3CC WITH NEEDLE	Yushou	Wuxi Yushou Medical Appliance Co, ltd, China	1. Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. No experience with this institute	End user reservation	Rejected
20	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	Yushou	Wuxi Yushou Medical Appliance Co, ltd, China	1. Punjab Teaching Govt. Institutes experience not attached 2. EC certificate not attached 3. No experience with this institute	1. Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected
22	DISPOSABLE SYRINGE- 20CC WITH NEEDLE	YushouAutoDisposable Syringe 20ml	Wuxi Yushou Medical Appliance Co, ltd, China	1. Name of item on technical offer Auto disable mentioned.	1. Name of item on technical offer Auto disable mentioned.	Rejected

23	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Yushou Auto Disposable Syringe 50ml	Wuxi Yushou Medical Appliance Co, Ltd, China	<p>2. No experience with this institute</p> <p>3. EC certificate not attached</p> <p>4. Name of product not mentioned on Free Sale certificate</p> <p>1. Name of item on technical offer Auto disable mentioned.</p> <p>2. No experience with this institute</p> <p>3. EC certificate not attached</p> <p>4. Name of product not mentioned on Free Sale certificate</p> <p>5. Medical device registration not attached</p>	<p>2. End user reservation</p> <p>3. Name of product not mentioned on Free Sale certificate</p> <p>1. Name of item on technical offer Auto disable mentioned.</p> <p>2. No experience with this institute</p> <p>3. Name of product not mentioned on Free Sale certificate</p> <p>4. Medical device registration not attached</p>	Rejected
25	DRIP SET / INFUSION SET	Relation	M/S Shandong Qinkai Medical Industry, China	<p>1. Sufficient Punjab Teaching Govt. Institutes experience not attached</p> <p>2. Invalid Free sale certificate attached</p> <p>3. Medical device registration not attached</p> <p>4. No experience with this institute</p>	<p>End user reservation</p>	Rejected
62	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Sonnet	Saffron Pharmaceuticals, Pakistan	<p>1. Invalid GMP attached</p> <p>2. Sufficient Punjab Teaching Govt. Institutes experience not attached</p> <p>1. No experience with this institute</p>	<p>Relevant documents provided</p>	Accepted
115	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML)	Relation	M/S Shandong Qinkai Medical Industry, China	<p>1. No experience with this institute</p>	<p>End user reservation</p>	Rejected






	100ML				2. Sufficient Punjab Teaching Govt. Institutes experience not attached		
118	POVIDONE - IODINE SOLUTION-10%-W/V	Prodine Solution	Kohinoor Industries, Pakistan		1. License to Manufacturer M/S Kohinoor Industries not attached 2. GMP certificate not attached.	Relevant documents provided	Accepted
120	SCRUB POVIDONE- IODINE-7.5%- W/V	Prodine Solution	Kohinoor Industries, Pakistan		1. License to Manufacturer M/S Kohinoor Industries not attached 2. GMP certificate not attached.	Relevant documents provided	Accepted
152	TAB LOSARTAN POTASSIUM 50MG	Prozar 50mg	Davis Pharma, Pakistan		1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected

10. M/s Popular international Distribution Services

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
45	INHALATIONAL ANESTHETIC ISOFLURANE BOTTLE OF 100ML	AERRANE (ISOFLURANE) 250ML	BAXTER HEALTHCARE SWITZERLAND	Drug registration certificate not attached.	Relevant documents not provided	Rejected
46	INHALATIONAL ANESTHETIC SEVOFLURANE BOTTLE OF 250ML	SEVOFLURANE 250ML	BAXTER HEALTHCARE SWITZERLAND	Drug registration certificate not attached.	Relevant documents not provided	Rejected

11. M/s Popular international Pvt Ltd

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks
173	BLACK SILK SIZE 3/0 WITH 20MM-26MM ROUND BODY NEEDLE	SOF SILK SIZE 3-0, 25MM, 1/2 CIRCLE, TAPER POINT, 75CM, BLACK, 24 FOILS/BOX	Covidien. USA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
180	POLYPROPYLENE 6-0 13MM DOUBLE ENDED NEEDLE	SURGI PRO II, SIZE 6-0, 13MM, 3/8 CIRCLE, TAPER	Covidien. USA	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience attached	Accepted

		POINT, DOUBLE NEEDED, 24 FOILS/BOX		attached		
191	SURGICAL STEEL WIRE NO. 2 45MM, REVERSE CUTTING 3/8 CIRCLE	STEEL, SIZE 2 48MM, 1/2 CIRCLE, REVERSE CUTTING, 2X45CM, UNDYED	Covidien. USA	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience attached	Accepted

12. M/s Superior Healthcare International

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
11	CANNULA / BRANULA I.V. NO. 20G WITH INJ PORT	WELMED	NINGBO GREATMOUNTAIN MEDICAL CHINA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
12	CANNULA / BRANULA I.V. NO. 22G WITH INJ PORT	WELMED	NINGBO GREATMOUNTAIN MEDICAL CHINA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
172	BLACK SILK NO.2 37MM-40MM 1/2C ROUND BODY NEEDLE	Black Silk Size 2 with 37mm-40 mm, 1/2 circle, Round Body Needle,PASILK	HUAIN PINGAN MEDICAL INSTRUMENT CHINA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
187	POLYGLACTIN 3/0, 16MM/22MM, 3/8C CUTTING / ROUND BODY NEEDLE	POLYGLACTIN 3/0, 16MM/19MM 3/8 CIRCLE CUTTING NEEDLE, PACRYL	HUAIN PINGAN MEDICAL INSTRUMENT CHINA	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted

13. M/s Tabros Pharma

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
149	TAB GLYCERYL TRINITRATE 2.6MG	TRYGIL 2.6MG	Tabros Pharma Pvt. Ltd, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. No experience with this institute	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. End user reservation	Rejected

14. M/s Tahir Pharma

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
11	CANNULA / BRANULA I.V. NO. 20G WITH INJ PORT	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	1. Poor Quality 2. Authority letter From M/S Changzhou Tongda to M/S Syahimpax not	1. End user reservation	Rejected

12	CANNULA / BRANULA I.V. NO. 22G WITH INJ PORT	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	<p>attached.</p> <p>3. Name of Manufacturer M/S Jiangsu China on MDR while M/S changzhou china on technical offer mentioned.</p> <p>4. Punjab Teaching Govt. Institutes experience not attached</p> <p>5. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>6. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S Changzhou china on technical offer mentioned.</p>	<p>2. Name of Manufacturer M/S Jiangsu China on MDR while M/S changzhou china on technical offer mentioned.</p> <p>3. Sufficient Punjab Teaching Govt. Institutes experience not attached</p> <p>4. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>5. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.</p>	<p>1. End user reservation</p> <p>2. Name of Manufacturer M/S Jiangsu China on MDR while M/S changzhou china on technical offer mentioned.</p> <p>3. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p>	<p>Rejected</p>
----	--	-------	---	--	--	---	-----------------

B

 2
 7


18	DISPOSABLE INSULIN SYRINGE- 1CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	<p>technical offer mentioned.</p> <p>6. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.</p> <p>1. Authority letter From M/S Changzhou Tongda to M/S Syahimpax not attached.</p> <p>2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S Changzhou china on technical offer mentioned.</p>	<p>4. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.</p> <p>Relevant documents provided</p>	Accepted
19	DISPOSABLE AUTODISABLE SYRINGE 3CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	<p>technical offer mentioned.</p> <p>1. Authority letter From M/S Changzhou Tongda to M/S Syah Impax not attached.</p> <p>2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.</p>	<p>1. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.</p> <p>2. Punjab Teaching Govt. Institutes experience not attached</p> <p>3. End user reservation</p>	Rejected

20	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	<p>4. Punjab Teaching Govt. Institutes experience not attached</p> <p>5. No experience with this institute</p> <p>1. Authority letter From M/S Changzhou Tongda to M/S Syahimpax not attached.</p> <p>2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhouchina on technical offer mentioned.</p> <p>4. Punjab Teaching Govt. Institutes experience not attached</p> <p>5. No experience with this institute</p>	<p>1. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>2. Punjab Teaching Govt. Institutes experience not attached</p> <p>3. End user reservation</p>	Rejected
23	DISPOSABLE SYRINGE 50CC WITH NEEDLE	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	<p>1. Authority letter From M/S Changzhou Tongda to M/S Syahimpax not attached.</p> <p>2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned.</p> <p>3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhouchina on technical offer mentioned.</p>	<p>Relevant documents provided</p>	Accepted

24	DISPOSABLE SYRINGE 60CC WITH CENTRAL NOZEL	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	Sale Certificate while M/S changzhou china on technical offer mentioned. 1. Authority letter From M/S Changzhou Tongda to M/S Syahlmpax not attached. 2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned. 3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.	Relevant documents provided	Accepted
25	DRIP SET / INFUSION SET	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	1. Authority letter From M/S Changzhou Tongda to M/S Syahlmpax not attached. 2. Name of Manufacturer M/S Jiangsu China on EC Certificate while M/S changzhou china on technical offer mentioned. 3. Name of Manufacturer M/S Jiangsu China on Free Sale Certificate while M/S changzhou china on technical offer mentioned.	Relevant documents provided	Accepted
46	INHALATIONAL ANESTHETIC SEVOFLURANE BOTTEL OF 250ML	Sojourn	Piramal Critical Care Inc. USA	1. Drug registration certificate not attached 2. Punjab Teaching Govt. Institutes experience not attached	Relevant documents provided	Accepted

62	INJ CEFTRIAXONE SODIUM 1GM WITH WATER FOR INJECTION (AMP OF 10 ML)	Tuff	Bio-Labs Pvt, Ltd, Pakistan	1. Punjab Teaching Govt. Institutes experience not attached 2. Drug registration certificate not attached GMP certificate attached	1. Punjab Teaching Govt. Institutes experience not attached 2. Drug registration certificate not attached GMP certificate attached	Rejected
103	INJ PROPOFOL 1% 10MG/ML	Pofol	Dong Kook Pharmaceutical Co. Ltd. Korea.	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Invalid free sale certificate. 3. No experience with this institute Poor Quality	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Invalid free sale certificate. 3. No experience with this institute Poor Quality	Rejected
115	MICRO BURET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Shifa	Changzhou Tongda Medical Appliances Co. Ltd, Republic of China.	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Invalid free sale certificate. 3. No experience with this institute Poor Quality	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Invalid free sale certificate. 3. No experience with this institute Poor Quality	Rejected
170	BLACK SILK NO 1 - 30MM/31MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Sample not provided	Sample not provided	Rejected
171	BLACK SILK 2/0 25MM-30MM 3/8C REVERSE/CURVED CUTTING 75CM	Wego	Foosin Medical Supplies Inc. Ltd, China	Sample not provided	Sample not provided	Rejected
172	BLACK SILK NO.2 37MM-40MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Not according to specification	Not according to specification	Rejected
173	BLACK SILK SIZE 3/0 WITH 20MM-26MM ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Not according to specification	Not according to specification	Rejected
174	POLYPROPYLENE SIZE 2/0 25MM/26MM DOUBLE ENDED NEEDLE TAPER POINT	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Poor Quality	Rejected
175	POLYPROPYLENE SIZE 3/0 25MM/26MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Poor Quality	Rejected
176	POLY PROPYLENE 4/0-16MM/15MM-DOUBLE ENDED ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Poor Quality	Rejected
177	POLYPROPYLENE	Wego	Foosin Medical Supplies	Sample not provided	Sample not provided	Rejected

178	5/0 16/17MM DOUBLE ENDED NEEDLE POLYPROPYLENE 5/0 13MM DOUBLE ENDED NEEDLE	Wego	Inc. Ltd, China Foosin Medical Supplies Inc. Ltd, China	1. Poor Quality 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	Samples re-evaluated by GC and End user not satisfied	Rejected
179	POLYPROPYLENE 6-0 11 MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Not according to specification	End user reservation	Rejected
180	POLYPROPYLENE 6-0 13 MM DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Samples re-evaluated by GC and End user not satisfied	Rejected
181	POLYPROPYLENE 7-0, 8MM 1/2C DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	1. Not according to specification 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	End user reservation	Rejected
182	POLY PROPYLENE 8/0 - 6.5 MM (DOUBLE ENDED ROUND BODY NEEDLE)	Wego	Foosin Medical Supplies Inc. Ltd, China	Not according to specification	Not according to specification	Rejected
183	POLYESTER 2/0 17MM 1/2 C TAPER CUT DOUBLE ENDED NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	1. Not suitable for cardiac surgery procedure. 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	1. End user reservation 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
184	POLYGLACTIN 0, 40MM, 1/2 C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	1. Poor Quality 2. Sufficient Punjab Teaching Govt. Institutes experience not attached	Samples re-evaluated, End user not satisfied	Rejected
185	POLYGLACTIN 1 40MM 1/2C ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Samples re-evaluated by GC and End user not satisfied	Rejected
186	POLYGLACTIN NO 2/0 26MM-30MM 1/2C 70CM/75CM	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Samples re-evaluated by GC and End user not satisfied	Rejected
187	POLYGLACTIN 3/0, 16MM/22MM, 3/8C CUTTING / ROUND BODY NEEDLE	Wego	Foosin Medical Supplies Inc. Ltd, China	Poor Quality	Samples re-evaluated by GC and End user not satisfied	Rejected

190	VALVE STITCH POLYESTER 2/0 16-17MM WITH PLEDGET	Wego	Foosin Medical Supplies Inc. Ltd, China	1. Sample not provided 2. Punjab Teaching Govt. Institutes experience not attached	1. Sample not provided 2. Punjab Teaching Govt. Institutes experience not attached	Rejected
-----	---	------	---	---	---	----------

15. M/s Tanveer Enterprises

Item #	Item Name	Brand Name	Manufactured by	TAC Observations	GC Observation	Remarks/Decision
19	DISPOSABLE AUTODISABLE SYRINGE 3CC WITH NEEDLE	Apple Disposable Syringes	Amson, Pakistan	EC certificate not attached	EC certificate attached	Accepted
20	DISPOSABLE AUTODISABLE SYRINGE 5CC WITH NEEDLE	Apple Disposable Syringes	Amson, Pakistan	EC certificate not attached	EC certificate attached	Accepted
52	INJ ATRACURIUM BESYLATE 10MG/ML	Efacurium	Surge, Pakistan	Low Efficacy	End user reservation	Rejected
115	MICRO BURRET WITH CHAMBER (60 MICRODROP=1ML) 100ML	Unison	Weifang Kawa Medical / IntraHealth, China.	Poor quality	Sample reevaluated by GC and satisfied	Accepted
130	TAB AMLODIPINE-5MG	Vespin	Amson, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience not attached	Rejected
134	TAB ATORVASTATIN 20MG BLISTER PACK /STRIPS	Lipiget	Getz Pharma, Pvt, Ltd, Pakistan	Sufficient Punjab Teaching Govt. Institutes experience not attached	Sufficient Punjab Teaching Govt. Institutes experience attached	Accepted
136	TAB BISOPROLOL 5 MG	Zipes Tab. 20mg (1000 Pack Size)	PHARMEVO, PAKISTAN	1. Sufficient Punjab Teaching Govt. Institutes experience not attached 2. Name of product Tab. Zipes on Drug Registration Certificate while on Technical offer Tab. Zibes mentioned.	Relevant documents provided	Accepted
167	TAB TICAGRELOR 90MG	Anplag Tab. 90mg (1000 Pack Size)	PHARMEVO, PAKISTAN	Punjab Teaching Govt. Institutes experience not attached	Punjab Teaching Govt. Institutes experience attached	Accepted

M/S Friends Enterprises

Sr.	Description	Firm Grievance	GC Observation	Remarks/Decision
1	Grievance against M/s Husnain Pharma	<p>The firm claims that item no. 8, 9, 10, 11, 12, 13 (Cannula IV 14G, 16G, 18G, 20G, 22G, 24G) quoted by M/s Husnain Pharma</p> <ul style="list-style-type: none"> Have invalid EC certificate 	The firm provided relevant documents	Grievance of M/S Friends Enterprises rejected and item no. 8, 9, 10, 11, 12, 13 (Cannula IV 14G, 16G, 18G, 20G, 22G, 24G) of M/S Husnain Pharma Accepted
2	Grievance against M/s Superior Healthcare	<p>The firm claims that item no. 10, 11, 12, 13 (Cannula 18G, 20G, 22G, 24G) quoted by M/Superior Healthcare</p> <p>Have no past experience with FIC</p>	End user satisfied with product and relevant documents provided for item no. 11, 12, (I.V Cannula 20G, 22G) But item no. 10 & 13 (I.V Cannula 18G, 24G) already Technically not approved	Grievance of M/S Friends Enterprises rejected and item no. 11, 12, (I.V Cannula 20G, 22G) quoted by M/S Superior Healthcare Accepted
3	Grievance against M/s Global Pharmaceuticals	<p>The firm claims that item no 59 (Inj. Cefoperazone + Sulbactam 2 G), 62 (Inj. Ceftriaxone sodium), 87 (Inj. Meropenem), 92 (inj. Nalbuphine) & 100 (Inj. Zyocin) of M/S Global Pharmaceuticals</p> <ul style="list-style-type: none"> Have invalid GMP 	End user satisfied with product and relevant documents provided for item no. 62, 87, 92 & 100 (Inj. Ceftriaxone sodium, Inj. Meropenem, inj. Nalbuphine & Pipracillin + tazobactam) But item no. 59 (Inj. Cefoperazone + Sulbactam 2 G) already Technically not approved	Grievance of M/S Friends Enterprises rejected for item no. 62, 87, 92 & 100 (Inj. Ceftriaxone sodium, Inj. Meropenem, inj. Nalbuphine & Pipracillin + tazobactam) of M/s Global Pharmaceuticals accepted
4	Grievance against M/s Hope Enterprises	<p>The firm claims that item no 59 (Inj. Cefoperazone + Sulbactam 2 G), 62 (Inj. Ceftriaxone sodium), 117 (Nebules, Beclomethasone), 137 (Tab. Captopril)</p> <ul style="list-style-type: none"> Have invalid GMP No Punjab teaching experience 	End user satisfied with product and relevant documents provided for item no. 59, 117 & 137 (Inj. Cefoperazone + Sulbactam 2 G, Nebules, Beclomethasone & Tab. Captopril) But item no. 62 (Inj. Ceftriaxone sodium) already Technically not approved	Grievance of M/S Friends Enterprises Rejected item no. 59, 117 & 137 (Inj. Cefoperazone + Sulbactam 2 G, Nebules, Beclomethasone & Tab. Captopril) of M/s Hope Enterprises accepted
5	Grievance against M/s Smakz Enterprises	<p>The firm claims that item no 87 (Inj. Meropenem) & 100 (Pipracillin + tazobactam) quoted by M/S Smakz have been rejected in different institutes due to poor efficacy</p>	End user satisfied with the product	Grievance of M/S Friends Enterprises Rejected and item no 87 (Inj. Meropenem) & 100 (inj. Pipracillin + tazobactam) quoted by M/S Smakz Accepted

M/s Ibrahim Enterprises

Sr.	Description	Firm Grievance	GC Observation	Remarks/Decision
1	Grievance Against M/s Hope Enterprises	<p>The firm claims that item no. 75 (Inj. Frusemide), 137. (Tab. Captopril), 143 (Tab.Diltiazem) quoted by M/S Hope Enterprises</p> <ul style="list-style-type: none"> • No GMP • No Punjab institute experiences 	The firm provided relevant documents	Grievance of M/S Ibrahim Enterprises rejected and item no. 75 (Inj. Frusemide), 137 (Tab. Captopril), 143 (Tab.Diltiazem) of M/S Hope Enterprises Accepted

M/s Tanveer Enterprises

Sr.	Description	Firm Grievance	GC Observation	Remarks/Decision
1	Grievance Against M/s Hope Enterprises	<p>The firm claims that item no. 117 (Nebules, Beclomethasone) quoted by M/S Hope Enterprises</p> <ul style="list-style-type: none"> • Completed 1 year in market have no institutional experience • It has been declared Sub-standard as per TEC report of DGHS Punjab 	The product have market experience of more than 1 year	Grievance of M/s Tanveer Enterprises rejected and item no. 117 (Nebules, Beclomethasone) quoted by M/S Hope Enterprises Accepted






M/s Muller & Phipps Pvt LTD

Sr.	Description	Firm Grievance	GC Observation	Remarks/Decision
1	Grievance Against M/s Popular International	The firm claims that item no. 181 (Prolene 7-0, 8mm) quoted by M/s Popular International Has been approved but not according to specification	The suture quoted by M/s Popular International is not according to specification	The grievance M/s Muller & Phipps Accepted and that item no. 181 (Prolene 7-0, 8mm) quoted by M/s Popular International rejected

Financial opening of Items with award No. 171, 176, 177, 178, 181, 185, 186, 187 will be kept pending due to central purchase.



Mrs. Iqra Munir,
Pharmacist,
FIC, Faisalabad.
(Member)




Eger. Sharaz Ali
Bio Medical Engineer
FIC, Faisalabad.
(Member)



Dr. Rehan Riaz
Assistant Prof. of Cardiology,
FIC, Faisalabad
(Member)



Dr. Shauqat Ahmad Khiliji,
Prof. of Cardiac Surgery,
FIC, Faisalabad
(Member)



Dr. Muhammad Nadeem Akhtar
Medical Superintendent,
FIC, Faisalabad
(Member)